Managing Environmental Risks and Impacts in Geothermal Exploration Projects



Merve YURTKURAN

Ankara, January 26, 2021



Content

- Phases of Geothermal Development Projects
- Critical Steps of Managing Environmental and Social Risks
- Identifying Impacts and Mitigation Measures
- WB's Geothermal Development Project and the Environmental and Social Management Framework
- Gaps between national and international standards regarding environmental assessment process and content



DEVELOPMENT of GDP

The development of a geothermal projects has four phases;

Exploration Phase – This phase will establish the location, size and quality of the geothermal reservoir; activities conducted include surface exploration, followed by exploration and confirmation drilling.



Resource/Field Development Phase – This phase includes the drilling of the wells, which will be used to extract the geothermal resource from the reservoir and confirm its commercial viability for heat/energy generation production; activities conducted are capacity drilling (also called production drilling) and development of steam gathering system.



DEVELOPMENT of GDP



- Power Plant Development
 Phase This phase consists of the final design and construction of the power plant that utilizes the geothermal energy.
 - Facility Operations Phase This phase includes the operation and maintenance of the steam gathering systems and the power plant.



Step 1. ENVIRONMENTAL & SOCIAL ASSESSMENT

- ➤ Environmental and social risk management is a very critical step for overall risk management.
- Extensive assessment of the impact of the *proposed project* and all *its infrastructure* and *associated parts* on the local area and the catchment area
- ✓ Environmental Assessment:.
 - Physical Environment (Air, water, soil, ...)
 - Ecology and Biodiversity
 - Landscape
 - Occupational health and safety
 - Cultural Assets
 - Cumulative Impact Assessment



✓ Social Assessment:

- Social and Economical Structure of the Project Area
- Impacts on local residents
- Land Acquisition
- Labor Influx
- Community health and safety



Step 2. STAKEHOLDER ENGAGEMENT & GRIEVANCE

- ➤ Early and comprehensive consultation with local residents and all other interested stakeholders (to explain environmental and social impacts)
- Clear and transparent Land Acquisition Process
- Grievance Procedure
- Clear benefits for the local communities.





Step 3. MONITORING & MANAGEMENT



- Regular monitoring of all significant environmental and social impacts as identified at project planning/EIA stage and measures to mitigate negative impacts;
- ➤ A comprehensive ESMP and a clear management structure to ensure its full compliance.



IDENTIFYING IMPACTS and MITIGATIONS

- Land and Habitat Loss
- Impacts on Water (groundwater and surface water)
- Proper Disposal of Drill Muds
- Gas Emissions
- Noise
- Occupational Health and Safety
- Social impacts including land acquisition



IMPACTS – LAND & HABITATS



- Land loss
 - ✓ Forestry land
 - ✓ Pasture Land
 - ✓ Agricultural Land (including orchards)
 - ✓ Treasury land
 - **Habitat loss**
 - ✓ Critical Habitats
 - ✓ Natural Habitats
 - ✓ Key Biodiversity Areas (KBA)



MITIGATIONS – LAND & HABITATS

- Site selection including alternative site analysis.
 - Elimination of critical habitat areas.
 - Elimination of legally problematic areas
 - Use of marginal lands





MITIGATIONS – LAND & HABITATS

- A detailed habitat and biodiversity survey
- ✓ Identification of protected or key biodiversity areas located near the project site.
- Assessment of risk posed by the project. (e.g. due to accidental discharges of water into local streams; release of steam).
- ✓ Consultation with local authorities and NGOs for any mitigation/compensatory measures especially for the loss of agricultural lands





MITIGATIONS - LAND & HABITATS

- ✓ Protect non-construction areas, avoid work in sensitive areas, restore damaged areas
- ✓ Design of slopes & retaining structures to minimize risk, provide appropriate drainage, soil stabilization/vegetation cover (including access roads opened, etc.)
- ✓ Take/dispose of materials from/at approved sites



IMPACTS - WATER

- Drilling Fluids
 - ✓ generally fresh waters (impacts of water use on other users)
 - ✓ including geothermal water extracted during well testing
- Cleaning Water
 - ✓ water form periodical cleaning chemicals including strong acids, most commonly hydrochloric acid.
- Domestic Wastewater







MITIGATIONS - WATER

- Utilizing surface water by taking other users into consideration – detailed baseline assessment
- Minimum discharge of testing water, use of ponds (then can be used for emergency/maintenance purposes)
- Informing residents about testing period.
- Avoid/minimize any discharge of geothermal fluids into surface watercourses.
- Domestic wastewater disposal not expected during exploration phase








IMPACTS - MUD DISPOSAL



- Water mixed with bentonite (a natural clay).
- Drill mud recycled and reused
- Cuttings may be classified as hazardous depending on the concentration and potential for leaching of silica compounds, chlorides, arsenic, mercury, nickel, and other heavy metals.



IMPACTS - MUD DISPOSAL




- Prevention of Mud Pit overflow and leakage.
 - Isolation from storm water flow.
 - Leak-proof system design (concrete pond, double liner etc.)
- Chemical analysis of Mud for identification of disposal method.
- Transfer and disposal of mud in accordance with the Waste Management Regulation and Regulation on Landfilling of Wastes.



IMPACTS – GROUNDWATER


- Casing failures wells may create pathways for geothermal fluids to mix with groundwater at shallow levels.
- If important freshwater aquifers exist above the geothermal reservoirs it is important to monitor ground water composition and temperature.
- Depletion of aquifers and impact on neighboring aquifer systems





MITIGATIONS – GROUNDWATER

- Detailed analysis of aquifer and existing groundwater resources and their use in the area.
- Special protection for wells (double casing, concrete casing etc.)
- Monitoring of ground water around wells.
- Detailed aquifer baseline assessment (considerin cumulative impacts)





IMPACTS – GAS EMISSIONS





- Possible NCG emissions and odor (CO₂, CH₄, Hg, H₂S, etc.)
- ➢ High CO₂ emission depending on the source characteristics.
- Dust emission due to site activities



MITIGATIONS - GAS EMISSIONS





- Detailed analysis of source in terms of NCG content
- On site toxic gas measurements, (i.e. hydrogen sulfide, mercury)
- Safety planning and measures for uncontrolled gas releases
- Appropriate design, training in O&M, safety
- Installation of shutoff valves and detectors
- Control of dust with water suppression
- > Timing of works, vehicle speeds
- GHG emission calculations and in case requirement preparation of GHG Management Plan
- Preparation of "NCG Mitigation Plan" and "H₂S Management Plan"



OTHER IMPACTS and MITIGATIONS

- Well abandonment
 - ✓ At the end of operation of a well or if a well fails to provide thermal groundwater, well should be closed with concrete. This will protect other aquifers and living things from adverse impacts of hazardous gases and other hazardous substances that may originate from well.
- Noise siting, mufflers, no night time drills
- Occupational Health and Safety prevent well blow out, PPEs (gloves resostant to heat, etc), fact sheets, trainings, emergency response
- Community Health and Safety continous information, emergency response
- Cultural resources project siting, use of chance find procedures
- Land acquisition



OTHER IMPACTS and MITIGATIONS

Covid-19

- Providing surveillance and active screening and treatment of workers
- Developing and designing an appropriate site-based medical service
- Conducting trainings for employees on coronavirus and prevention from pandemic
- Getting Medical clearance required for return to work for all employees diagnosed with coronavirus
- Conducting track and trace investigation in accordance with Ministry of Health Guidelines
- Project to notify Government and RSM Consultant of coronavirus cases
- Integrating COVID19 risks to Emergency Preparedness and Response Plans



Geothermal Development Project (GDP)

- ❖ Turkish government's core energy policy priority is to maximize exploitation of domestic primary energy resources and securing sufficient, reliable and affordable energy in an environmentally sustainable manner.
- ❖ 2,000 MW of geothermal electricity generation capacity is the target value for the year 2023 (National Renewable Energy Action Plan, 2013-2023)
- In this context, The Geothermal Development Project (GDP) has been developed to support the private sector;
 - ➤ to further scale up geothermal development and aims to do so by creating a mechanism to share the resource risk associated to the validation of geothermal resources, and
 - > to facilitate financing for the resource development and construction phases of geothermal project development.



TURKISH EIA REQUIREMENTS

1. SCREENING Annex – I projects: EIA required, significant

potential impacts

Annex — II projects: PIF required, EIA

required decision after evaluation of

- 2. PUBLIC PARTICIPATION MEETING (Annex I Projects)
- 3. SCOPING

PIF.

- 4. EXAMINATION, EVALUATION & APPROVAL OF EIA
- 5. ANNOUNCEMENT
- 6. MONITORING & MANAGEMENT

Category – A: significant adverse environmental impacts

PROJECT CATEGORIZATION & SCREENING

Category – B: potential impacts on the environment are typically site-specific, reversible in nature

Category – C: minimal or no adverse environmental impacts

WB REQUIREMENTS

- 2. SCOPE OF ENVIRONMENTAL ASSESSMENT
- 3. PUBLIC CONSULTATION
- 4. PREPARATION, REVIEW AND APPROVAL OF THE ESIA/ESMP
 - 5. DISCLOSURE
 - 6. IMPLEMENTATION
- a) compliance with measures agreed with WB on the basis of the findings and results of the EA, and
- b) findings of monitoring programs

KEY DIFFERENCES BETWEEN TURKISH EIA REGULATION AND WB REQUIREMENTS

PROJECT	WB classified the exploration stage of the Project as Category B, and capacity
CATEGORIZATION	drilling phases as either Category B depending on the special circumstances of
	the Project. Some of the energy production facilities may be categorized as 'A'
	according to environmental and social risks. Project categorization in WB
	policies are case by case, no pre-defined lists.

Cat A (full ESIA including ESMP) and Cat B (ESMP) **SCOPE OF** All project components (access roads, transmission lines) are evaluated in an **ENVIRONMENTAL ASSESSMENT** integrated approach in WB projects Detailed haseline assessment Social impacts always included Stakeholder Engagement Plan Alternative analysis, cumulative impacts, ESMP for all projects which will be used in bidding documents and inserted in contracts

Under Turkish FW, Annex II documentation does not have most of these elements **PUBLIC** EIA Regulation does not require PC for all categories.

Only one Public Participation Meeting for Annex – I project.

WB requires at least 1 meeting for Cat Bs and 2 for Cat As EIA Regulation - Only EIA report is disclosed.

CONSULTATION

DISCLOSURE

WB – draft ESIA, final ESIA/ESMP should be disclosed depending of project category.

- ✓ Preparation of Project Description File in line with EIA Regulation
- ✓ Submission of File to MoEU
- ✓ Collecting official responses and letters from relevant authorities (Provincial Directorate of Agriculture and Forestry, Regional Directorate of State Hydraulic Works, Directorate of Cultural Heritage Preservation Regional Board, etc.)
- ✓ Receiving 'EIA Not Necessary' Decision from MoEU
- ✓ Drilling wells and testing period
- ✓ Preparation of geothermal development plan and applying for operation permit



ENVIRONMENTAL & SOCIAL MANAGEMENT PLAN

- Project Description
- ➤ Identification of Project Standards regarding National Laws and Regulations and WB Environmental, Social and Health and Safety Standards
- Baseline Studies and Identification of Area of Influence
- Impact Identification and Assessment
- Mitigation Measures and Residual Analysis (Mitigation Plan)
- Monitoring Plan
- Institutional Arrangements
- Stakeholder Engagement Plan including feedback from consultation meeting, Grievance Mechanism



ENVIRONMENTAL & SOCIAL MANAGEMENT PLAN

In all cases:

Stakeholder Engagement Plan

Chance Finds Procedure

Effluent Management Plan

Hazardous Materials Management Plan

Occupational Health and Safety Plan (including Emergency Preparedness and

Response Plan)

Community Health and Safety Management Plan

Waste Management Plan

On risk basis:

Biodiversity Management Plan

Cultural Heritage Management Plan

Resettlement Action Plan / Expost social audit



INELIGIBLITY;

- ❖ Projects triggering International Waterways OP 7.50.
 - ✓ Eligible watersheds are; Susurluk, North Aegean, Gediz, Kuçuk Menderes, Buyuk Menderes, Western Mediterranean, Antalya, Sakarya, Western Black Sea, Yesilirmak, Kizilirmak, Konya Kapali, Eastern Mediterranean, Seyhan, Ceyhan, Eastern Black Sea, Burdur, Afyon, Orta Anadolu, and Van.
- Projects which have impact on any Critical Natural Habitats
 - ✓ Critical Natural Habitats
 - Legally protected;
 - officially proposed for protection; or
 - unprotected but of known high conservation value sites.
- Projects in culturally/archaeologically protected areas



THANK YOU FOR YOUR ATTENTION...

